





BROKERAGE | CHARTER | BERTHS | FINANCE | INSURANCE | YACHT MANAGEMENT

BROKER'S COMMENTS

The Pilot 50 Fly Trawler, built by VDL Shipyard is a comfortable and safe seagoing steel motor yacht. She has a spacious saloon, three cabins and 6 berths, accommodation for owners and guests perfectly separated. Equipped for extensive cruising. With her design category A she will bring you home safe under all conditions. Easy to handle by her two Volvo engines and bow thruster. She was transported from Waalwijk via the Rhine, Moselle, Saone, Rhone rivers to Barcelona. Then Sicily, Corfu, Rostock and finally to Palma. She navigated her crew in many rough seas without problems.

Jörg Hellmich

SPECIFICATIONS

Dimensions	14.99 x 4.82 x 1.35 (m)	Builder	VDL Shipyard
Built	2000	Cabins	3
Material	Aluminium	Berths	6
Engine(s)	2 x Volvo Penta D 9 - 500 diesel	Hp/Kw	2 x 500.00 (hp), 368.00 (kw)
Asking price	€ 450.000 (VAT Paid)	Lying	contact Almeria

CONTACT

Sales office	De Valk Almeria	Telephone	+34 950 497 825
Address	Puerto de Almerimar	E-mail	almeria@devalk.nl
	Darsena de la Batea 1, No. 42, 04711 Almerimar		
	Spain		

DISCLAIMER

These particulars are given in good faith as supplied but cannot be guaranteed.



GENERAL

Model PILOT 50

Type motor yacht

 LOA (m)
 14,99

 Beam (m)
 4,82

 Draft (m)
 1,35

 Air draft min (m)
 3,40

 Headroom (m)
 1,96

 Year built
 2000

BuilderVDL ShipyardCountryThe NetherlandsDesignerWillem Nieland

Displacement (t) 32
Net tonnage 24
CE norm A

Hull materialaluminiumHull colourwhiteHull thickness (mm)5

Hull shapehard chineSuperstructure materialaluminium

Superstructure (mm) 4

Deck plate thickness (mm) 4

Rubbing strake rubber

Deck material aluminium

Deck finish synthetic teak Flexiteek (2011)

Superstructure deck finish non-skid paint

Cockpit deck finish teak
Antifouling (year) 2024

Window frame aluminium Gebo

Window material glass
Deckhatch Gebo



Portholes aluminium

Insulation glasswool 4 - 6 cm

Flybridge yes
Flybridge cover yes
Flybridge cockpit cover yes
Flybridge suncover Bimini
Mast can be lowered manual

Fuel tank (litre) aluminium 5200

Level indicator (fuel tank) Gauge

Freshwater tank (litre) stainless steel 1200

Level indicator (freshwater) Gauge

Blackwater tank (litre) stainless steel 500

Level indicator (blackwater) Gauge

Blackwater tank extraction deck extraction + pump

Wheel steeringhydraulicInside helm positionIn saloonFlybridge helm positionhydraulic

More info on hull In perfect conditions

More info on paintwork Sikkens paint & GP coating in very good conditions

ACCOMMODATION

Cabins 3
Berths 6

Interior beech Wood

Floor wood
Open cockpit yes
Aft deck yes
Pilot house/deck saloon yes
Headroom saloon (m) 1,96

Heating central hot water Kabola Heating System (19.7 kW)

Heating 2 diesel ducted hot air Eberspächer



Chart table yes Aft Cabin yes Dining room yes Opening door to cockpit yes Galley

U-shape Countertop granite

Sink stainless steel Single

Cooker induction Bauknecht 3 hob burner

Oven Bauknecht (& gril)I

Extractor Bauknecht

Fridge Electrolux (120L.) Freezer Compartment

Hot water system 220V + engine Rheinstrom 80 L. boiler (Hydropher 30 L.)

2.00

Water pressure system electrical Dishwasher Bauknecht

Hot water tap yes Coffee maker yes Crockery yes

Owners cabin double bed

Bed length (m) 2,00

Wardrobe hanging/drawers/shelves

Toilet system electric Wash basin at the toilet Shower en suite Guest cabin 1 double bed Bed length (m)

Wardrobe hanging/drawers/shelves

Toilet shared Toilet system electric Wash basin at the toilet Shower shared

Guest cabin 2 Double bunk beds



Bed length (m) 2,00

Wardrobe hanging/drawers/shelves

Washing machine/dryer combi Bauknecht

MACHINERY

No of engines

Make Volvo Penta
Type D 9 - 500
HP 500
kW 368
Fuel diesel
Year installed 2007
Maximum speed (kn) 20

Maximum speed (kn) 20
Cruising speed (kn) 15
Consumption (l/hr) 60
Range (nm) 1300
Engine hours 754

Engine cooling system freshwater heat exchanger

Drive shaft
Shaft seal yes

Engine controlselectricalGearboxhydraulicBowthrusterelectric 5 kWExhaustwatercooled

Propeller type fixed Fixed 5

Propeller shaft material stainless steel

Shaft lubricationwaterManual bilge pumpyesElectric bilge pump4 units

Electrical installation 12 & 24V system



Generator wet exhaust Onan 16 kW

Running hours generator 823

 Start battery
 4 x 12V / 210 Amp Exide Gel (2023)

 Service battery
 4 x 12V / 210 Amp Exide Gel (2023)

Battery monitor Mastervolt

Battery charger Mastervolt Mass 24V / 50 Amp
Inverter Mastervolt 24V / 2.500 Watt

Shorepower with cable 230V
Watermaker Sea Recovery 23l/hr

NAVIGATION

Compass on flybridge yes

Electric compass Simrad IS15

Multi control display Simrad IS15

Depth sounder Simrad IS15

Forw. looking depth sounder yes

Log Simrad IS15
Windset Simrad IS15
Repeater Simrad IS15

VHF 2 x Raymarine Ray240E

VHF handheld yes

Autopilot Simrad AP 20 & Robertson AP20

Rudder angle indicator Raytheon

Radar Raytheon R21xx

GPS Valsat MCR 20 (NMAE 0183)

Plotter/GPS Raymarine C120W

Navtex ICS Wifi antenna yes

Electronis chart(s) Navionics

EPIRB yes

Navigation lightsyesSearchlightyesLoudhaileryes

EQUIPMENT

Sprayhood yes

Cockpit cover yes

Bimini yes

Winter cover yes

Cockpit cushions yes

Cockpit table yes

Bathing platform Teak

Boarding ladder stainless steel

Bow ladder yes

Gangway Aluminum with teak

Deck shower W & c

Anchor Plow anchor 24 kg

Anchor chain 100m

Anchor 2 Sternanchor

Windlass electrical Lofrans

Dinghy rigid inflatable Protender

Outboard yes
Outboard support yes

Deck cranemanual 40 kgSea railingstainless steelGrab rail (superstructure)stainless steel

Railing side opening gates yes
Pulpit yes

Life raft container Seasafe

Life raft (pers) 6
Last life raft survey 2021



LifejacketsyesWiperyesClearview windowyes

Horn air pressure

Fenders yes
Mooring lines yes
Tools yes

TV Thomson LCD

TV receiver Orbiscan Sat-TV MAR X 55 digital

Radio-cd player Kennwood

DVD player Kennwood

Cockpit speakers Kennwood

Speakers in salon Kennwood

Clock - barometeryesFire extinguisher3 x 2 kgLatest extinguisher survey2021Extinguisher in engine roomyes

















































































































